

# Laboratory 1: Python

# Exercises

## Exercise

Write a program to prompt the user for their name and welcome them.

Enter your name: **Chuck**  
Hello Chuck

## Exercise

Write a program to prompt the user for hours and rate per hour to compute gross pay.

Enter Hours: 35

Enter Rate: 2.75

Pay: 96.25

## Exercise

Write your pay computation with time-and-a-half for overtime and create a function called: `computepay` which takes two parameters ( `hours` and `rate`).

Enter Hours: 45

Enter Rate: 10

Pay: 475.0

$$475 = 40 * 10 + 5 * 15$$

## Exercise

Rewrite your pay computation to give the employee 1.5 times the hourly rate for hours worked above 40 hours.

Enter Hours: 45

Enter Rate: 10

Pay: 475.0

$$475 = 40 * 10 + 5 * 15$$

## Exercise

Rewrite your pay program using try and except so that your program handles non-numeric input gracefully.

Enter Hours: 20

Enter Rate: nine

Error, please enter numeric input

Enter Hours: forty

Error, please enter numeric input

## Exercise

Write a program which reads list of numbers until ``done" is entered. Once ``done" is entered, print out the total, count, and average of the numbers. If the user enters anything other than a number, print an error message and skip to the next number.

Enter a number: 4

Enter a number: 5

Enter a number: bad data

Invalid input

Enter a number: 7

Enter a number: done

Average: 5.333333333333



## Exercise

Write some code to parse lines of the form:

X-DSPAM-Confidence: 0.8475

Use find and string slicing to extract the portion of the string after the colon character and then use the float function to convert the extracted string into a floating point number.

## Exercise

Write a program to read through a file and print the contents of the file (line by line) all in upper case. Executing the program will look as follows:

Enter a file name: **mbox-short.txt**

```
FROM STEPHEN.MARQUARD@UCT.AC.ZA SAT JAN 5 09:14:16 2008
RETURN-PATH: <POSTMASTER@COLLAB.SAKAIPROJECT.ORG>
RECEIVED: FROM MURDER (MAIL.UMICH.EDU [141.211.14.90])
          BY FRANKENSTEIN.MAIL.UMICH.EDU (CYRUS V2.3.8) WITH LMTPA;
SAT, 05 JAN 2008 09:14:16 -0500
```

Write a program to loop through a mailbox-format file and look for lines of the form:

```
X-DSPAM-Confidence: 0.8475
```

Use find and string slicing to extract the portion of the string after the colon character and then use the float function to convert the extracted string into a floating point number. Count these lines and then compute the total of the spam confidence values from these lines. When you reach the end of the file, print out the average spam confidence.

```
Enter the file name: mbox.txt
```

```
Average spam confidence: 0.894128046745
```

```
Enter the file name: mbox-short.txt
```

```
Average spam confidence: 0.750718518519
```